Telefax: 0209 972 99 579

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fresh&More Selective Alone Refill 250 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Room Fragrance .

aerosol.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Beauty & More e.K.
Street: Gewerkenstr. 34
Place: D-45881 Gelsenkirchen

Telephone: 0209 972 99 570 Internet: bm-cosmetic.de

Internet: bm-cosmetic.de Responsible Department: info@bm-cosmetic.de

1.4. Emergency telephone 0209 972 99 570 (Mo-Fr 9:00 - 17:00)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:





Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 2 of 13

Special labelling of certain mixtures

EUH208 Contains benzyl salicylate, 1-

(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2-(4-tert-butylbenzyl)propionaldehyde. May produce an allergic reaction.

Additional advice on labelling

Aerosol directive (75/324/EEC)

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification	•	•			
64-17-5	ethanol, ethyl alcohol			45 - < 50 %		
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H225 H31	9				
118-58-1	benzyl salicylate			0.2 - < 0.3 %		
	204-262-9					
	Skin Sens. 1, Aquatic Chronic 2; H					
54464-57-2	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one					
	259-174-3					
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 1; H315 H317 H410					
80-54-6	2-(4-tert-butylbenzyl)propionaldehyde					
	201-289-8					
	Repr. 2, Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H361 H302 H315 H317 H411					

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 3 of 13

After ingestion

If swallowed, immediately drink: Water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Carbon dioxide. Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area.

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Wear suitable protective clothing. (See section 8.)

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 4 of 13

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Heating causes rise in pressure with risk of bursting.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking. Provide adequate ventilation.

Hints on joint storage

Do not store together with: Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Radioactive substances.

Infectious substances.

Further information on storage conditions

Recommended storage temperature: 10-30°C. Do not store at temperatures over: 50°C

Note: Storage requirements for flammable aerosols.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
64-17-5	ethanol, ethyl alcohol				
Worker DNEL,	acute	inhalation	local	1900 mg/m³	
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³	
Consumer DN	Consumer DNEL, acute		local	950 mg/m³	
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³	
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmental compartment		Value	
64-17-5	4-17-5 ethanol, ethyl alcohol		
Freshwater		0,96 mg/l	
Freshwater (intermittent releases)		2,75 mg/l	

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml Revision date: 13.12.2019 Product code: Page 5 of 13

Marine water	0,79 mg/l
Marine water (intermittent releases)	2,75 mg/l
Freshwater sediment	3,6 mg/kg
Marine sediment	2,9 mg/kg
Secondary poisoning	0,72 mg/kg
Micro-organisms in sewage treatment plants (STP)	580 mg/l
Soil	0,63 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Protective and hygiene measures

Always close containers tightly after the removal of product.

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

Suitable material:

Butyl rubber. (0,5 mm)

Breakthrough time >480 min

penetration time (maximum wearing period): >160 min

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

Use only respiratory protection equipment with CE-symbol including four digit test number.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 6 of 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: not determined
Odour: characteristic

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Flash point:

not determined
not determined
not determined
-104 (butane) °C

Flammability

Gas: not determined

Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

none

Vapour pressure: 8327 hPa

(at 20 °C)

Vapour pressure: not determined
Density: not determined
Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic:

Viscosity / kinematic:

not determined

Flow time:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

Solvent separation test:

not determined

not determined

not determined

not determined

not determined

not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 7 of 13

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

10.4. Conditions to avoid

Keep away from heat.

Ignition hazard.

Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In use, may form flammable/explosive vapour-air mixture. Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Adsorption.

Ethanol has a low molecular weight and has a good water and fat solubility. Therefor it can be adsorbed well in the entire gastrointestinal tract, lungs and the skin. After swallowing approximately 90% is taken up via the gastrointestinal tract. When inhaled, this value is 61%. Because of the rapid evaporation of ethanol the dermal adsorption is very limited; theoretically 21% can be accommodated, however, the absorption rate of uncovered skin is only 1 to 2%.

Distribution:

Regardless of the exposure pathway ethanol is distributed via the bloodstream throughout the body, comparable to the distribution of water. Highly perfused organs (brain, lung and liver) are passed quickly. An equal distribution between tissue and blood is reached after 1 to 1.5 h.

metabolism:

Even before the absorption a small proportion of ethanol is enzymatically metabolized in the stomach (alcohol dehydrogenase). After absorption ethanol is preferably metabolized in the liver (92-95%) and partly in the kidneys and lungs. Metabolism occurs usually in three steps: 1. oxidation of ethanol to acetaldehyde; 2. oxidation of acetaldehyde to acetate; 3. oxidation of acetate to carbon dioxide and water

elimination:

The vast majority of ethanol is eliminated by metabolism, the excretion via breath, urine and sweat plays a minor role. The maximum elimination of ethanol is estimated on the 127 mg / kgbw / h.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol						
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier			
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	ECHA Dossier			
80-54-6	2-(4-tert-butylbenzyl)propionaldehyde							

according to Regulation (EC) No 1907/2006

н		Fresn	&Wore Se	II 250 MI		
	Revision date: 13.12.2019			Product code:		Page 8 of 13
	oral	LD50 mg/kg	1390	Rat.	ECHA Dossier	
	dermal	LD50	>2000	Rat.	ECHA Dossier	

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Irritant effect on the skin: slightly irritant but not relevant for classification.

Ethanol.: Specific concentration limit (SCL): Eye Irrit. 2 > 50%

Sensitising effects

Contains benzyl salicylate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2-

(4-tert-butylbenzyl)propionaldehyde. May produce an allergic reaction.

The product is: not sensitising. The statement is derived form the properties of the components.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Ethanol:

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist. Reproductive toxicity: Exposure

time: 18 weeks Species: CD-1 Mouse. Method: OECD Guideline 416

Result: NOAEL = 20700 mg/kg/day Developmental toxicity/teratogenicity: Exposure time: 19d Species:

Sprague-Dawley Rat. Method: OECD Guideline 414 Result: NOAEL = 16000 ppm (maternal toxicity) Result:

NOAEL >= 20000 ppm (teratogenicity) Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Ethanol:

Subchronic oral toxicity:

Exposure time: 90d; Species: Sprague-Dawley Rat.

Method: OECD Guideline 408; Result: NOAEL = 1280 mg/kg; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Practical experience

Other observations

Depending on the ingested quantity the following symptoms can be induced: a reduction of inhibitions, euphoria but also dysphoria, aggressiveness, impaired motoric skills, impaired responsiveness, blurred vision and fatique.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	14200	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia dubia	ECHA Dossier	

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 9 of 13

	Crustacea toxicity	NOEC mg/l	(9,6)	9 d	Daphnia magna	ECHA Dossier	
118-58-1	benzyl salicylate						
	Acute fish toxicity	LC50 mg/l	1,03	96 h	Brachydanio rerio (zebra-fish)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	1,29	1	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	1,16	48 h	Daphnia magna	ECHA Dossier	
80-54-6	2-(4-tert-butylbenzyl)prop	ionaldehyde	Э				
	Acute fish toxicity	LC50 mg/l	2,04	96 h	Brachydanio rerio (zebra-fish)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	29,155	1	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	10,7	48 h	Daphnia magna	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name								
	Method	Value	d	Source					
	Evaluation	*	-	•					
64-17-5	ethanol, ethyl alcohol								
	other guideline	84%	20	ECHA Dossier					
	Biodegradable.	-	-						
118-58-1	benzyl salicylate								
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	93%	28	ECHA Dossier					
	Product is biodegradable.		-						
80-54-6	2-(4-tert-butylbenzyl)propionaldehyde								
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	80,7%	28	ECHA Dossier					
	Easily biodegradable (concerning to the criteria of the OECD)								

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
118-58-1	benzyl salicylate	4,0
80-54-6	2-(4-tert-butylbenzyl)propionaldehyde	4,2

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 10 of 13

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group: -

Hazard label: 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 11 of 13

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Marine pollutant: NO

Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Refer to section 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: butane

Entry 40: ethanol, ethyl alcohol

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 12 of 13

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2019/957)

Aerosol directive (75/324/EEC)

REACH 1907/2006 Appendix XVII, No (mixture): 3, 40

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

ethanol, ethyl alcohol

SECTION 16: Other information

Changes

Rev. 1.0; Initial release: 13.12.2019

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung

EINECS: European Inventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

according to Regulation (EC) No 1907/2006

Fresh&More Selective Alone Refill 250 ml

Revision date: 13.12.2019 Product code: Page 13 of 13

SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

	0 0 1
Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Eye Irrit. 2; H319	Bridging principle "Aerosols"

Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains benzyl salicylate, 1-
	(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2-
	(4-tert-butylbenzyl)propionaldehyde. May produce an allergic reaction.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)