# DO NOT PRINT THIS PAGE

	revisions			
REV.	DESCRIPTION	ECN	DATE	
Α	RELEASED TO PRODUCTION	E000358	2015-08-18	

### REFERENCE ONLY, PLEASE USE AI / EPS FOR PRINTING

PANTONE **CYAN** 







IS THE SOLE PROPERTY OF SCA GLOBAL HYGIENE CATEGORY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED. DATE DRAWN BY 2015-02-25 ALTEN

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING

REFER TO ECN FOR APPROVALS AND DATES.

**PROJECTION** FIRST ANGLE




SPECIFIED DIMENSIONS ARE

LINEAR:  $.X = \pm .79$  [.031] ANGULAR: ±2°

IN MILLIMETERS [INCHES] AND TOLERANCES FOR

**UNLESS OTHERWISE** 





SCA GLOBAL HYGIENE CATEGORY

DESCRIPTION

ARTWORK, INSTRUCTION MANUAL EU

PREVIOUS PART NUMBER N/A STATE RELEASED **REVISION** DWG NO. 0013000 Α

SCA TEMPLATE SHORT

## with Intuition™ Sensor





























































#### **Warnings**

- · Children should not be allowed to play with the appliance
- The maximum and minimum ambient temperatures for correct operation are 0 to 50 degrees Celsius (32 to 122 degrees Farenheit)
- · This dispenser is not suitable for installation outdoors or in wet environments. It is not water-resistant
- · Operating sound level of the dispenser is less than 70dBa

#### **Disposal**

- · Damaged or malfunctioning product should be disposed of immediately to avoid potential of injury
- · Products should be disposed of in accordance with applicable regulations

#### Cleaning instructions

 Please take necessary precautions during maintenance operations. Clean dispenser as needed. Wipe to clean using a soft, lint free towel. Use water and mild detergent (exterior surfaces only)

European community design registration RCD 002601922

