

Product Specification



600BRXX

Jumbo Specification

Brown Dry Strip

<u>Property</u>	<u>Value</u>			<u>Method</u>
	<u>LL</u>	<u>MP</u>	<u>UL</u>	
Thickness (inches)	1,00	1,08	1,15	Guston Bacon
Weight (oz/yd ²)	46	50	54	Scale
Color (Standard)*	dark Brown			Visual
Fiber Type	25 % Polyester PET Recycl. - 75 % virgin Polyester			
Resin System	Cross-link water base			
Abrasive	AO			
Tensile (lb/2 in)	> 45			
Jumbo Length	70			yds.

* Color: (1) Standards established with lightest shade, target & darkest shade
(2) Standards to be updated every six (6) months if necessary

Finished Good Specification

Brown Dry Strip

<u>Property</u>	<u>Value</u>			<u>Method</u>
	<u>LL</u>	<u>MP</u>	<u>UL</u>	
Thickness (inches)	1,00	1,08	1,15	Guston Bacon
Weight (oz/yd ²)	46	50	54	Scale
Color (Standard)*	dark Brown			Visual
Outside Dimension	-0,125	0	0,125	Inches
Inside dimension	3,2	3,25	3,3	Inches
Smear Test	10% Pinesol Solution			Ceramic Tile
Smear Tolerance	None			
Temperature	120 deg f			
Test Time	10 Minutes			
RPM	1750			

Test Pad		20"		Electric Floor Maint M:
Post test Thickness	0,95	1,026	1,0925	Target <5% reduction

*** Color: (1) Standards established with lightest shade, target & darkest shade
(2) Standards to be updated every six (6) months if necessary**

achine

